

BR4407

!"#\$%&' (' '#####



DATA SHEET

F	2018-4			
G	2018-10-22			
H	2019-1-09	1		
I	2019-6-13			
J	2022-1-10			

BR4407



!"#\$%&' (' '##### DATA SHEET

SOP-8 P MOS

>&?)\$%% @#=%)\$%3 5 %*#A4B #C @B#=# 3*#E2\$%00*42#0%#\$8 F>&G#>@\$0^3#>\$3H\$I !#

6J886L#G я n

BR4407



!"#\$%&' (' '##### DATA SHEET
#

# >\$2\$5 * 2#	# 8Z5140#	# \$*0%I#	#] %0*#
J2\$0%&84V23 #640*\$I #	6J88#	&M(#	6#
7\$* &84V23 #640*\$I #	6788#	P':#	6#
?4%*0%V4V0#J2\$0%#?V22 %*O#	<J#KE\$9':^?L#	&N'#	O#
?4%*0%V4V0#J2\$0%#?V22 %*O#	<J#KE\$9\(^?L#	&N(#	O#

BR4407





!"#\$%&' (' '##### DATA SHEET
#

>\$2\$5 * 2# 8Z5 14# E 0*#?4%B)4%0# A%# EZ+# A\$`#

BR4407

!"#\$%&' (' '##### DATA SHEET


#



#

/ Marking Instructions

#



#

Y # # #

SS(\ # # #

IIII # # #

Q4* ,#

Y ,## # ?45+\$%Z#?4B !#

SS(\ ,# # >24BV3*#EZ+ #

IIII ,## # c4*#Q4!#?4B W#34B #3)\$%I # . 0*)#c4*#Q4!#

#

#

#

() / Temperature Profile for IR Reflow Soldering(Pb-Free)

Q4* ,#
 N : (NG([(j (0 3;# # # N!>2) \$*0%1,N:(mNG(°C\\#ED5 ,[(mj(0 3!#
 ' 'S:±: :±(!:0 3;# # '!'> \$H#E 5+!, 'S:±:°C\\#JV2\$*04%, :±(!:0 3!#
 M ' N(°C-0 3!# # # # M! ?44@0%I#8+!> d !X