

BRCL3130ME
R



DATA SHEET

--	--	--	--	--	--



/ Descriptions

6-78***!9: ! " # \$ % ; # & ' () * + + , - . / 0 1 2 3 4 5 6 7 8 9 6-78***!9: : ;
 < = > 0 ? @ 9 / + : 4 A 1 B 4 0 + C D E + F G H I + F 9
 6-78***!9: J K L M N 0 + / 4 * \$(0 O P A Q R S T U V L M W ' X Y Z [\] ^ S L M N 0) *
 + + , - X Y 9 6-78***!9: J K _ * A _ ` A _ a A b F c d K 0 + , d e f . / ? g A h i j k l
 ? l M m 9 T n o p q q r s t u v w A x W Y Z y z e f # \$ % { # & ' () * + + , | l \ } +
 0 ~ i ¢ 0 X Y £ ' 9

R

R

R

R

/ Features

- ◆ □ ¥ 2 3 c ! (! 1 < 0 = > 0 ? @ 9 / + : 4 §
- ◆ " NOP + / 4 * \$(§
- ◆ _ © . / § _ * + + a . / § ^ a _ a . / « _ ` + + a A ¬ - b F + a §
- ◆ * + U D E § ! 3 + , * + ? g A H ® l \ □ ¥ v ¯ A 1 B 4 + C D E §
- ◆ m ° ± + a « ² M j k + a « : # > ? § ³ t + a « " : (> ? ¯ ´ μ - /) + G ¶ . , ¹ 9
- ◆ ¶ ° 9 »

R


R

/ Applications

! n # \$ % + , - § # & ' (+ , - 9



1/41/2 «
A"Bn o ? I p S " _ OP d 3/4 ¿ 0 À Á ? I 9
A B Â J K Ã ° + . / ? g A Ä p f " _ À Á 0 3/4 ¿ ° + g Å 9
:



Æ Ç È É CDE 0 > 1 FGH	Æ Ç Ê Ë CDE 0 I 1 G	Æ Ç Ì Í CDE . GJKHOLMNE
--------------------------	------------------------	----------------------------

"

Ò Ó	Ô É	Ó Õ	! Ö
			°C
			°C
			°C
			°C
R	R		°C
	R		°C

Ò Ó	Ô É	E × Ø V	À N Õ	Ù Ú Õ	À Á Õ	! Ö
R						
R	R					
	R					
		,				
R	R	,				
						°C
R						°C

/ Functionl Block Diagram

/ Functional Description

R

R

/ Normal Operating mode

k ă A 9

/ Overcharge Condition

**/ Overdischarge Condition**

ą² M` + \_ ü ć AĈ + , + C Ħ ó \_ ` D E + C ê VDLC â Ć, h i ć Č I \ č ó _ ` + + C D E H I
I \ ê TDLC { Ď | A

/ Abnormal Charge Current Detection

$^2 M^* + I A \check{n} VM + C \check{H} \acute{o}^* + DE + C \hat{a} \acute{C}(VCHA) A h i \acute{c} \check{C} I \backslash \text{''} _ _ ^* + a DE H I I \backslash$
(TCU)ABRCL3130MEđ P * + FETĐ đ * + 9 Q ä å Ę r ö M * + + a DE 9
P B * + U AVMGGNDŁ \ + C 1 Z * + UDE + C(VCHA) I A ö M * + + a ă Å 5 ă 9 Ā Z0V+ ,
* + ? g Ō = ō 1 Z p $^2 M + a^* + DE A + , + C \check{O} m 0 + , ^2 a > \check{E} 0 V^* + I A \check{o} M^* + + a DE$
p p j k 9


BRCL3130ME


R

/ Timing Chart

/Charger Detection

/Abnormal Charge Detection







() / Temperature Profile for IR Reflow Soldering(Pb-Free)

