

|   |            |     |             |  |   |
|---|------------|-----|-------------|--|---|
|   |            |     |             |  |   |
| A | 2021.03.24 | All | AOS-AON6426 |  | . |

/ Descriptions

PDFN5\*6      N  
N-Channel MOSFET in a PDFN5\*6 Plastic Package .


/ Features

Low  $R_{DS(ON)}$  to minimize conductive loss;low Gate Charge for fast switching;Low Thermal resistance.


/ Applications

Battery Management

/ Equivalent Circuit



/ Pinning



PIN1、 2、 3: S      PIN4: G      PIN5、 6、 7、 8: D

| Pin | 极性 |
|-----|----|
| 1   | S  |
| 2   | S  |
| 3   | S  |
| 4   | G  |
| 5   | D  |
| 6   | D  |
| 7   | D  |
| 8   | D  |

/  $h_{FE}$  Classifications & Marking

。 See Marking Instructions.



**BRCS060N03ZC**

Rev.B May.-2021


**DATA SHEET**

**BRCS**


Rev.B May-2021 0 SC 20 0 SC 2 0 Tr 922 0 sc2 0 0 SC 286.117 TD [( )-215.343( )-228.677( )-219.5 DATA SHEET 9.6423 1 6 Tr 7 .

**/ Package Dimensions**

Dimensions In  
Millimet



**/ Marking Instructions**



说明：

BR： 为公司代码

060N03： 为为产品型号

Note：

BR： Company Code

060N03： Product Type.

N03ZC

21



DATA SHEET

( ) / Temperature Profile for IR Reflow Soldering(Pb-Free)