




|  |  |  |  |
|--|--|--|--|
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |
|  |  |  |  |

0


/ Electrical Characteristic Curve




Technical drawing of a mechanical part, likely a shaft or axle, showing various views and dimensions. The drawing includes a top view, a side view, and a cross-sectional view. Key dimensions and labels are as follows:

- Top View:** Shows a rectangular cross-section with dimensions  $A$  (width) and  $C$  (height). A dimension  $a$  is indicated for a specific feature.
- Side View:** Shows the profile of the part with a dimension  $B$  for a specific section. A dimension  $a$  is also indicated.
- Cross-sectional View:** Shows the internal structure of the part, with dimensions  $b_1$  and  $C_1$  for specific features. A dimension  $a_1$  is also indicated.
- Other Dimensions:** Dimensions  $k$ ,  $3^\circ$ , and  $3^\circ$  are shown, indicating specific angles or features.

/ Marking Instructions



(     ) / Temperature Profile for Dip Soldering(Pb-Free)



/ Resistance to Soldering Heat Test Conditions

/ Packaging SPEC.

| 封装形式 | 包装数量             |                       |                        |                        | 包装尺寸 | : |
|------|------------------|-----------------------|------------------------|------------------------|------|---|
|      | Units/Bag<br>只/袋 | Bags/Inner Box<br>袋/盒 | Units/Inner Box<br>只/盒 | Units/Inner Box<br>只/盒 |      |   |